

2 – 18 years old

First Risk Factor		None	GCS < 15 or AMS	Loss of consciousness	Vomiting	Signs of basilar skull fracture	Severe mechanism of injury	Severe headache
GCS < 15 or AMS	<i>risk</i>							
	<i>DA</i>							
Loss of consciousness	<i>risk</i>	0.5 (0.2,0.8)			0.9 (0.2,2.7)		2.4 (1.3,4.1)	1.4 (0.3,4.1)
	<i>DA</i>	1:100			1:100		2:100	1:100
Vomiting	<i>risk</i>	0.7 (0.3,1.2)		0.9 (0.2,2.7)			2.4 (0.3,8.3)	1.4 (0,7.8)
	<i>DA</i>	1:100		1:100			2:100	1:100
Signs of basilar skull fracture	<i>risk</i>							
	<i>DA</i>							
Severe mechanism of injury	<i>risk</i>	0.3 (0.1,0.6)		2.4 (1.3,4.1)	2.4 (0.3,8.3)			1.4 (0.3,4.1)
	<i>DA</i>	3:1000		2:100	2:100			1:100
Severe headache	<i>risk</i>	1.4 (0.3,4.1)		1.4 (0.3,4.1)	1.4 (0, 7.8)		1.4 (0.3,4.1)	
	<i>DA</i>	1:100		1:100	1:100		1:100	